

DZONGKHAG ADMINISTRATION - BUMTHANG

Comparative Statement for Supply of Desktop Computers, Laptop and other accessories for the Fiscal Year 2019-2020

Sl.no	Description of items	B.D Commercial	GYELYONG ENTERPRISE	HIMALAYAN INFO TECH	KB ENTERPRISE	LAMLA SALES AND SERVICES	NGN TECHNOLOGIES PRIVATE LIMITED	OFFICE AUTOMATION SYSTEM	PJ NETWORKS	THARLAM INFOTECH & SOLUTIONS
1	<p>Low End Desktop: Type : Assembled Desktop Processor: 8th Generation Intel® Core™ i3-8100 processor (6MB Cache, up to 3.6 GHz) Operating Systems : Windows 10 Home 64bit MultiLanguage ,Memory: 4GB, Electronic Government Procurement (e-GP) System Government Procurement and Property Management Division, Department of National Properties Ministry of Finance, Royal Government of Bhutan</p> <p>1</p> <p>DDR4, 2400MHz, Hard Drive: 3.5inch 1TB 7200 rpm Hard Drive Video Card: Intel® UHD Graphics 630 Others: Optical DVR-RW</p>	32490	30000	31600	31999	32300	68703	0	0	30250

2	<p>Low End Desktop: Type: All in one Desktop 2.0GHz Intel J4005 processor 4GB DDR4 RAM 1TB 5400rpm hard drive 19.5-inch screen, Integrated Graphics Windows 10 Home operating system 19.5inch 1440x900 resolution display NOTE : CPU is integrated within the desktop , this product is All-in-One Desktop Microphone/earphone combo (bottom) and Keyboard and Mouse included 3 in 1 card reader (bottom) (SD, SDHC, SDXC) 2 Number of</p>	43490	33977	32100	38000	34700	74476	0	0	0
3	<p>Low End Desktop: Type: All in One Desktop : 19.5 inch diagonal HD anti-glare WLED-backlit (1366 x 768p) Display screen AMD Dual-Core E2-9000 APU (1.8 GHz base frequency, upto 2.2 GHz burst frequency, 1 MB cache) 1 TB SATA Hard Drive 600 MB/Sec @ 7200 rpm 4 GB DDR4-2133 SDRAM (1 x 4 GB) Windows 10 Home Single Language 64 bit AMD Radeon R2 Graphics Wired Keyboard & Mouse DVD Writer Wi-Fi 802.11b/g/n (1x1), Bluetooth-V4 Stereo Speakers DTS</p>	41390	0	36100	42000	36300	71177	0	0	0

4	<p>High End Desktop. Type :- Assembled Desktop Processor :- Intel 8th Generation Core i3-8100 (6M Cache, 3.60 GHz) RAM :- 8 GB, DDR4, 2666MHz; Hard Disk :- 1TB 3.5inch 7200 rpm SATA Hard Drive Graphics :- Intel UHD Graphics 630 with shared graphics memory Operating System :Windows 10 Home Plus Single Language of 64 bit Wifi & Bluetooth 18.5 inch Monitor & DVD Drive include Wired</p>	36790	31500	32500	36300	33390	0	0	0	30300
5	<p>High End Desktop. Type :- one Desktop 2.00GHz Intel Core i36006U 6th Gen processor , 4GB DDR4 RAM, 1TB 5400rpm hard drive, 21.5inch screen, Integrated Graphics, Windows 10 Home operating system of 64bits Number of USB 2.0 Ports : 3 Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports : 1 Number of Ethernet Ports : 1 Number of Microphone Ports: 1 </p>	43490	37777	35700	44300	38740	0	0	0	0

6	<p>High End Desktop. Type :- Assembled Desktop Screen Size: 19.45 Inches Processor: Intel Core i5 or i7 Processor Speed: 3 GHz RAM Size : 4 GB Memory Technology : DDR4 Hard Drive Size : 1 TB Hard Disk Technology: Serial ATA Graphics Coprocessor: Intel HD Connectivity Type : Wi- Fi, Bluetooth Wireless Type : 802.11.b, 802.11.g Number of USB 2.0 Ports : 4 Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports: 1 Number of Ethernet Ports:</p>	36790	50795	38700	39300	38940	0	0	0	36250
---	---	-------	-------	-------	-------	-------	---	---	---	-------

7	<p>High End Desktop, Type : All in one Desktop, Operating system Windows 10 Home 64 Processor AMD Ryzen 5 2600 (3.25 GHz base frequency, up to 3.6 GHz burst frequency, 4 MB cache, 4 cores) Graphics Integrated: AMD Radeon Vega 8 Graphics Screen size Display 23.8inch Memory 12 GB DDR42666 SDRAM (1 x 4 GB, 1 x 8 GB) Storage 1 TB 5400 rpm SATA SSHD Flash cache 8 GB Memory card device 3-in-1 memory card reader Network interface Integrated 10/100/1000 Gigabit Ethernet LAN Wireless technology 802.11a/b/g/n/ac (2x2) and Bluetooth® 4.2 M.2 combo Power supply 120 W external AC power adapter External I/O Ports Rear: 1 headphone/microphone combo; 2 USB 3.1 TypeC® Gen 1;</p>	63490	0	58300	0	71430	0	0	0	0
---	---	-------	---	-------	---	-------	---	---	---	---

8	Low End Laptop: Screen Size: 14 Inches Maximum Display Resolution: 1366x768 System: 64 bit Processor Brand: Intel Processor Type: Core i3 Processor Speed :2.30 GHz RAM Size : 4 GB Memory Technology: DDR4-2133 SDRAM Computer Memory Type : GDDR4 Hard Drive Size: 1 TB Hard Drive Interface: eSATA Audio Details: Headphones Speaker Description : Dual Speakers Graphics Coprocessor : Intel HD Graphics Connectivity Type: Intel 802.11bgn (1x1) Wi-Fi and Bluetooth 4.2 Combo Wireless Type: 802.11bgn Number of USB 2.0 Ports : 1 Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1	31490	30000	31300	32800	32400	0	0	0	27650
9	Inches Maximum Display Resolution: 1366x768 System: 64 bit Processor Brand: Intel Processor Type: Core i3 Processor	30790	30000	31200	30999	31795	43456	0	0	27650

10	Memory Technology: DDR4-2133 SDRAM Computer Memory Type : GDDR4 Hard Drive Size: 1 TB Hard Drive Interface: eSATA Audio Details: Headphones Speaker Description : Dual Speakers Graphics Coprocessor : Intel HD Graphics Connectivity Type: Intel 802.11bgn (1x1) Wi-Fi and Bluetooth 4.2 Combo Wireless Type: 802.11bgn Number of USB 2.0 Ports : 1 Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports: 1 Number of Ethernet Ports: 1 Number of Microphone Ports:1	38490	38888	36500	39300	39340	42896	0	0	35650
11	Mid End Laptop: Screen Size : 15.6 Inches Maximum Display Resolution: 1920x1080 Processor Brand : Intel Processor Type: Core i5 8250U Processor Speed : 2.80 GHz RAM Size: 8 GB Memory Technology : DDR4-2400 SDRAM Computer Memory Type : DDR DRAM Hard Drive Size : 1 TB Hard Drive Interface: Serial ATA Audio Details: Headphones Speaker Description: Dual Speakers Graphics Coprocessor : Intel HD Graphics Connectivity Type: Intel 802.11bgn (1x1) Wi-Fi and Bluetooth 4.2 Combo Wireless Type: 802.11bgn Number of USB 2.0 Ports :1 Number of USB 3.0 Ports: 2 Number of	74390	59999	56000	51300	38300	58488	0	0	46150

12	High End Laptop: Screen Size: 14 Inches Maximum Display Resolution: 2560 x 1440 (Quad HD) Processor Brand: Intel Processor Type: Core i7 RAM Size : 8 GB Memory Technology : DDR3 System:64 bit Maximum Memory Supported: 8 GB Hard Disk Technology: Flash Memory Solid State(256GB) Speaker Description: Conexant Graphics Coprocessor Intel HD Graphics 5500 Graphics Card Ram Size : 4.06 GB Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports: 1 Number of Ethernet Ports: 1	74390	0	56000	52999	49940	106638	0	0	46150
13	Drive/flash drive (HP/Toshiba or equivalent)	749	980	0	980	930	93856	0	800	675
14	Drive/ flash drive(HP/Toshiba or equivalent)	1249	0	0	1940	1340	1350	0	1400	850
15	Pen Drive/ flash drive(HP/Toshiba or equivalent)	1890	0	0	2700	2465	1650	0	2100	1650
16	External Hard Disk Drive (HP/Toshiba or equivalent)	4790	5998	0	4699	5400	750	0	5500	4650
17	External Hard Disk Drive (HP/Toshiba or equivalent)	6490	6998	0	9200	7400	0	0	7500	7250
18	Memory card/flash memory : 32 GB Camera memory card	898	4889	0	2100	1640	0	0	1500	650
19	Memory card/flash memory :16 GB Camera memory card	649	3889	0	1200	1390	0	0	1000	775
20	Camera Flash Memory card (Product Dimensions 0.4 x 4.3 x 3.6)	898	6889	0	2700	1690	0	0	7500	0
21	GB Camera Flash Memory card (Product Dimensions 0.4 x 4.3 x 3.6)	2890	0	0	5800	3400	0	0	7500	1850

22	Receiver USB Charging(Rechargeable)	1290	0	0	0	840	1350	0	950	0
23	RF 2.4GHz Powerpoint Clicker Presentation Remote Control Pen with battery or equivalent	4890	4700	0	9000	3940	0	0	4500	4350
24	Form Factor: RACK / TOWER Item Height 43.2 Centimeters Item Width 48.3 Centimeters Item Weight 11.5 Kg Product Dimensions 8.5 x 48.3 x 43.2 cm Wattage 2400 Watts Included Components : Basic UPS	7890	0	0	0	3940	69416	0	0	0
25	Ups: Smart UPS 5000V A RM 2U LCD(120V)	189490	98940	0	0	117400	120625	0	0	148650
26	Ups: Smart UPS 5000VA RM 2U LCD with power cord 21.8 Centimeters Item Width 10.7 Centimeters Item Weight 4.7 Kg Product Dimensions 23.7 x 10.7 x 21.8 cm Batteries: 1 Lithium Polymer batteries required. (included) Wattage 360 Watts Battery Charge Time (in hours) 4 Hours Average Battery Standby Life (in hours) 20 Minutes Average Battery Life (in hours) 3	4890	0	0	0	5400	0	0	0	0
27	Ups: APC Smart-UPS 5000VA RM 2U LCD with power cord	189490	98940	0	0	143700	0	0	0	138650
28	Storage Disk: DVDRW(>4GB)	64	0	0	68	0	0	0	85	65
29	CDs) capacity	189	0	0	2700	0	0	0	1050	1350
30	adapter, supports: IEEE802.3 Port: 1x 10/100/1000Mbps RJ45 network media Compatibility: windows XP 32/64bit, vista 32/64bit, windows 7	2890	0	0	0	3800	0	0	3000	2550

31	Parts: Hard disk Drive of 160 GB(specify IDE/SATA)	4390	0	0	0	2940	0	0	4000	
32	Parts: Hard disk Drive of 250 GB(specify IDE/SATA)	4390	0	0	0	3900	0	0	4500	0
33	Parts: Hard disk Drive of 320 GB(specify IDE/SATA)	4390	0	0	0	0	0	0	6500	0
34	battries for Dell and HP, Acer computers	45	0	0	0	350	0	0	0	45
35	Memory(RAM): 1GB DDR1	1490	0	0	3700	2900	0	0	0	1850
36	Memory(RAM): 2GB DDR1	1890	0	0	3700	3900	0	0	0	1850
37	Memory(RAM): 1GB DDR2	1490	0	0	3700	2900	0	0	0	1850
38	Memory(RAM): 2GB DDR2	1890	0	0	3700	3900	0	0	0	2259
39	Memory(RAM): 1GB DDR3	1490	0	0	3700	2900	0	0	0	1850
40	Memory(RAM): 2GB DDR3	1890	0	0	3700	0	0	0	0	2259
41	Memory(RAM): 1GB DDR4	1490	0	0	2700	2900	0	0	0	1850
42	Memory(RAM): 2GB 42 2GB DDR4	1890	3800	0	2700	3900	0	0	0	2150
43	Memory(RAM): 4GB DDR4	3490	4800	3900	3700	4400	0	0	0	2650
44	SMPS with IDE Option	1690	0	0	0	3900	0	0	0	750
45	SMPS with SATA option	1690	0	0	0	3900	0	0	0	825
46	Stabilizer (500VA)	1890	2800	0	7200	2300	0	0	0	2850
47	Stabilizer (1000VA)	2990	3800	0	14000	3400	0	0	0	5150
48	Stabilizer (2000VA)	4390	4800	0	21000	4200	0	0	0	6150
49	Camera with 35x Optical Zoom (Black) (Effective pixels : 20.3 M.P Lens : lens with 35x optical zoom Monitor : 7.5cm (3-in.) diagonal) with WiFi, NFC, Bluetooth, 4K UHD (Ultra High Definition) with	32490	17500	0	47000	23400	0	0	35120	0

50	Camera. Digital Camera ALL INCLUSIVE BUNDLE KIT Including SanDisk Ultra 32GB SDHC Memory Card Point and Shoot Camera Case 12inch GRIPSTER Tripod - Wrist / Hand Grip Strap - Lens Cleaning Pen with WiFi, NFC, Bluetooth Lens Dust Blower - Start 20.3MP 1/2.3inch CMOS Sensor - DIGIC 6 Image Processor - 40x Zoom Lens, 1080p Video, 12MP Print Size	48490	0	0	0	27000	0	0	98718	0
51	Camera (Black) Canon EOS 1300D with 18-55mm lens + 55-250mm Lens. Sensor: APS-C CMOS Sensor with 18 MP ISO: 100-6400 sensitivity range Image Processor: DIGIC 4+ with 9 autofocus points. Video points, Video Resolution: Full HD video with fully manual control and selectable frame rates Connectivity: WiFi, NFC and Bluetooth builtin Lens Mount: EF-S mount	39490	39000	44900	58000	49700	0	0	57000	54850
52	CMOS AF with Phasedetection 24.2 Megapixel CMOS (APS-C) Sensor, Bit Depth, 14-Bit Built-in Wi-Fi, NFC and Bluetooth Intuitive Touchscreen, 3.0-inch Tiltype LCD Builtin Wi-Fi, NFC and Bluetooth; Intuitive Touchscreen, 3.0-inch Tiltype LCD with	64390	0	0	0	77400	0	0	81648	0

53	High End Camera Canon EOS 60D DSLR Camera with 1855mm Lens 18PC Professional Bundle Package SanDisk 64gb SD Card + 500mm Preset f/8 Telephoto Lens + Canon Shoulder Bag plus Product Includes: Ultimaxx 500mm Preset Lens - TMount For Canon EOS Lens -24.2MP APS-C CMOS Sensor - DIGIC 7 Image Processor 3.0inch 1.04mDot Vari-Angle	78490	125888	87900	0	94730	0	0	171606	48650
54	Mark IV 30.4 MP Digital SLR Camera (Black) + EF 24105mm is II USM Lens Kit with carrying case	298490	291312	322000	340000	274400	0	0	305100	262750
55	KXTG3711SX TG3711SX Digital Cordless telephone	4890	0	0	0	4300	0	0	0	0
56	Phone (Black)	8490	0	0	0	1400	0	0	0	750
57	Telephone (HDC1028(3	6890	0	0	0	1400	0	0	0	9350
58	equivalent	14390	10098	0	0	9900	0	0	0	9350
59	or equivalent	12490	8700	0	0	9900	0	0	0	9250
60	KXFP342CX or equivalent	18490	10098	0	0	10400	0	0	0	9250
61	KX_FT903CX or equivalent	14390	0	0	0	9900	0	0	0	9250
62	Unit) or equivalent	6490	6800	0	7200	0	0	0	0	7050
63	Panasonic fax Machine KXFP-772 Plain Paper or equivalent	19490	0	0	11000	16700	0	0	0	9250
64	Maximum Copies 99 copies, Copy Resolution 1,200 dpi x 600 dpi, Copying Features , Book Copying., ID Copy, Mixed Size Originals, Additional Features , telephone	24390	38000	0	33000	17400	0	0	0	18650
65	Telephone (HDC1028(3)	6890	0	0	0	1420	0	0	0	725
66	or equivalent	14390	0	0	21000	9900	0	0	0	9250
67	or equivalent	12490	0	0	0	9900	0	0	0	9250
68	FP342CX or equivalent	18490	10098	0	0	10420	0	0	0	9250
69	KX_FT903CX or equivalent	14390	0	0	0	9940	0	0	0	9250

70	Unit) or equivalent	6490	6800	0	0	6300	0	0	0	7050
71	Panasonic fax Machine KXFP-772 Plain Paper or equivalent	19490	0	0	0	14700	0	0	0	9250
72	Maximum Copies 99 copies, Copy Resolution 1,200 dpi x 600 dpi, Copying Features , Book Copying., ID Copy, Mixed Size Originals, Additional Features , telephone	24390	38000	0	33000	16400	0	0	0	18650
73	KXFLM651 LASER FAX/COPY/PRINT/SCAN or	19490	0	0	0	16400	0	0	0	18650
74	Panasonic fax Machine KXFP-701 Plain Paper or equivalent	12490	10098	0	0	9900	0	0	12000	9250
75	Copier, 15ppm, 14.4K modem, 50 sheet tray, 30 sheet feeder, 8 mb memory (500 pgs	24390	0	0	0	19400	0	0	0	20850
76	& Digital Duplicating machine (Digital scanning,thermal screening, duplicating	4890	0	0	0	97400	0	0	0	112650
77	charger (Senao SN-1258)	98490	0	7000	0	0	0	0	0	26540
78	distance coverage:200-500 meters or above wih earpiece(specify the price ranges for different specs)	28490	0	0	0	28400	0	0	0	0
79	US0 USB FlexArm Document Camera Black (VISIONU50)	19980	0	0	0	69400	0	0	27100	
80	Ultra High Definition USB Document Camera	34390	0	0	0	79400	0	0	27100	0

81	Web Camera: Logitech HD PRO Webcam C920 with Full HD 1080p video calling (up to 1920 x 1080 pixels) with the latest version of Skype for Windows 720p HD video calling (up to 1280 x 720 pixels) with supported clients. Full HD video recording (up to 1920 x 1080 pixels) H.264 video compression, Built-in dual stereo mics with automatic noise reduction, Automatic low-light correction, Tripod-ready universal clip fits laptops, Electronic Government Procurement (e-GP) System	8990	15500	0	7200	14400	0	17200	17500	0
82	Star) Medium/Small	9890	0		0	0	0	0	7500	0
83	for Home/Car/Carpet/Bed/Sofa, Lithium ion Battery, 35 Minutes Use Time, Lightweight Vacuum Cleaner with Stainless Steel HEPA	9490	0	0	0	53400	0	0	9500	0
84	Absolute Pro Cord-Free Vacuum (Copper) or equivalent	14390	0	0	0	0	0	0	61758	0
85	Euroclean WD X2 Vacuum Cleaner, Orange & Black	12490	0	0	19000	24700	0	0	22361	0
86	((Print/scan/copy/Fax)) with ethernet or wifi features and must support all windows 7/8/10:HP Laserjet Pro MFP M226dw Printer (Print, Scan, Copy, Fax, Wireless,	31490	34500	39900	35999	26390	41000	42000	45000	0
87	((Print/scan/copy/Fax)) with ethernet or wifi features and must support all windows 7/8/10: HP Laserjet Pro MFP M128fn Printer	18490	22800	24000	18299	16700	41000	30855	27500	24850

88	windows 7/8/10 : Canon Pixma G3010 All-in-One Wireless Ink Tank Colour Printer with user	16490	0	0	15800	6700	0	21000	19406	0
89	windows 7/8/10: Canon Pixma MG2577s All-in-One Inkjet Colour Printer (Blue/White) with user	14890	5000	6000	15800	29700	0	21000	7500	0
90	connectivity and must support all windows 7/8/10 : Epson WorkForce ALC300TN with user	68490	38888	0	0	19400	0	43000	265477	0
91	connectivity and must support all windows 7/8/10 : HP Laserjet Enterprise M608dn with user	78990	0	0	139000	74400	0	166000	99999	0
92	connectivity and must support all windows 7/8/10: Xerox VersaLink C605 with user manual, cartridge	76490	38888	0	0	64400	310223	0	350100	0
93	Dot Matrix Printer (Any)	11890	49900	18000	47000	41400	0	19500	16500	44550
94	5m.USB/Parallel	689	0	0	1300	320	0	0	2000	1550
95	PA Amplifiers) Max output 300w for each zone	32490	26325	0	0	25500	0	0	34210	0
96	PA Amplifiers) Max output 300w for each zone	32490	0	0	0	25500	0	0	34210	0
97	(SRX250DX200W)	11490	10725	0	0	9700	0	0	13500	0
98	Mike : Microphone base GMB-6C	3890	2047	0	0	1580	0	0	2780	0
99	Mike : Microphone, Shure 12inch Desktop Gooseneck Mic (GM605)	3490	1979	0	0	1530	0	0	2500	0
100	unit 40w	2490	2004	0	0	2560	0	0	3900	0
101	(SAT150)	3490	2582	0	0	3075	0	0	3500	0
102	AWM520H	3890	3770	0	0	3150	0	0	5340	0
103	Cable Patch Cords XLR Male to Female Blue	749	0	0	0	2500	0	0	1000	0
104	16 Gauge Speaker Wire With Sequential Foot Markings.	2890	3250	0	0	4700	0	0	6000	0
105	&small. DGN	2890	2100	0	0	1300	0	0	1500	0
106	Mike : Micro phone stand,Small	2390	1421	0	0	800	0	0	1500	0

107	(AWM 520VL)									
108	Mike : Micro phone,Shure SM58	4390	3770	0	0	3150	0	0	6000	0
109	speaker(wireless)	9890	0	0	0	1200	0	0	10500	0
		4890	0	0	0	9700	0	0	0	0
110	and wifi connectivity :4050 inch inch Screen size with 3D functionality(specify the price range without 3D	34390	44000	45000	34000	29400	0	0	40512	26550
111	and wifi connectivity :6070inch inch Screen size with 3D functionality(specify the price	129490	0	65000	149000	99400	0	0	150000	65000
112	Way Socket 2500Watt with 10Amps (gold medal)	489	480	0	3700	545	0	0	3000	0
113	any 3-6 m long extension cords with atleast 4-6 sockets with high resistance	649	680	0	4800	760	0	0	1050	0
114	INTEL : 1U rack server Specification(Low End Server) :inchesProcessor: Intel Xeon Processor E3 1280 v6, 8MB Smart Cache, 3.90GHz Single Processor. Memory: 16GB DDR4 with ECC Memory supported Drive Controller: 2.5inch hot-plug SAS, SATA embedded host controller Hard Disk: 4x500GB(2TB) 7.2 RPM SAS, SATA, SFF Hard Drive Optical Drive: DVDRW-ROM Drive Connectivity: Embedded Dual ports Gigabit Network Interface Card(NIC) & iDRAC7/iLO Express ports Power Supply Unit: Hot-plug redundant 750 Watt Power Supply Unit & 3	189490	0	0	0	0	310223	0	399999	0
115	Switch Rack width glass door lock & key.	5490	0	0	9800	0	11500	0	7800	4650

116	Switch Rack width glass door lock & key.	6890	0	0	16000	0	14500	0	9500	5250
117	Switch Rack width glass door lock & key.	12490	0	0	68000	0	0	0	14250	7250
118	Cat 6 factory crimped patch cord-1 meter(100 % copper cable)	119	0	0	600	0	350	0	250	225
119	Cat 6 factory crimped patch cord-5 meter(100 % copper cable)	289	0	0	1200	0	450	0	550	375
120	ethernet unmanaged switch with power cord(please mention the price for different brand)	7490	0	16000	0	0	0	0	15500	5850
121	ethernet unmanaged switch with power cord(please mention the	7890	0	18000	0	7800	155009	0	20186	6450
122	Procurement (e-GP) System Government Procurement and Property Management Division, Department of National Properties Ministry of Finance, Royal Government of Bhutan For different brand (Cisco/Tplink/Dlink) Rack	18490	0	14900	0	26400	155009	0	34232	24850
123	ethernet managed L2 switch with 4 sfp slots & power cord(please mention the price for different	23490	0	0	0	33400	155009	0	86325	32550
124	meter(100% copper cable)	6490	7300	9000	0	5740	0	0	7500	5750
125	CATEGORY 6A Modular Jacks/IO Jack UTP CAT6A I/O with Face Plate, Single, Front Shutter	489	0	0	0	385	0	0	890	370
126	Modular Patch Panel Cat 6 12 ports	5890	0	0	0	0	4500	0	4500	0
127	Modular Patch Panel Cat 6 24 ports	5890	0	0	0	0	4800	0	5500	4250
128	piece)	1290	0	4500	0	1150	0	0	1770	1000
129	small business Router(mention the latest version or specs)	68490	0	0	0	4900	0	0	68000	72000

142	Horse shoe clamp 1/2inch									
143	Horse shoe clamp 1inch	10	0	0	0	0	0	0	170	0
144	accessories	15	0	0	0	0	0	0	190	0
145	accessories	85	0	0	0	0	0	0	100	0
146	accessories	189	0	0	0	0	0	0	110	0
147	Dzongkhag store	289	0	0	0	0	0	0	125	0
148	AAA pencil battery	65	0	0	0	0	0	0	45	0
149	AA pencil battery	34	0	0	0	0	0	0	50	0
		24	0	0	0	0	0	0	40	0
150	Type C to RJ45 for Juniper,CISCO,Netgear,Ubiquity,LINKSYS,TPLink Routers/Switches	4890	0	0	0	0	0	0	4500	0
151	RJ45 cable Essential Accessory of CISCO,Netgear,Ubiquity,LINKSYS,TP-Link Routers/Switches for	4890	0	0	0	0	0	0	4500	0
152	USB LAN ethernet Adapte (100 pieces)	1290	0	0	0	0	0	0	3500	0
153	Projector. Screen size range. 60-107 inches from 8 feet; 107-inches from 12 feet Brightness: 3,000 ANSI Lumens. Computer compatibility: FHD, HD, WXGA, UXGA, SXGA, XGA, SVGA, VGA, Mac Contrast Ratio: 23,000:1; Keystone Correction: Yes, Lens Shift: No 2 x HDMI (1.4a 3D support) + MHL v1.2, Audio Out 3.5mm, 12V trigger, 3D-Sync, USB service Display Technology: Single 0.65? 1080p DC3 DMD chip DLP	349	0	0	0	0	0	0	950	0
154	projector with wireless, hdmi and vga functionality with carrying case or equivalent with remote control	31490	29900	34600	0	44400	0	0	155555	27150
155	kits: Adjustable projector mounting kits (ceiling /wall) (100% aluminium alloy or sliver)	43490	37777	0	47000	4300	0	0	74722	28650
156		3890	3800	3300	3700	8400	0	0	56000	4350

157	16:9 Manual Foldable Tripod Stand 87inch x 49inch White Projector Surface Screen 4-side Black Borders w/ 160 Degree (Reliable tripod to adjust height and housing position Sleek design, scratch resistant, white color; Screen	8990	11000	19000	0	17400	0	0	1500	5250
158	Projector Screen: 110" HD Motorized 16:9 Projector Screen W/ Remote Control : Size and Aspect Ratio, 16:9 Aspect ratio, 110" Diagonal screen size (96 X 54in), Case Size: 104.125 x Dia 3in, Product Weight: 20.3lb High contrast 1.3 gain screen that is washable with soap and water, 1inch black masking borders to enhance picture contrast, 160° viewing angle perfect for residential or commercial use, 3 layer black backed screen which eliminates light penetration and produces top quality color reproduction, Static resistant, fire retardant, mildew resistant Casing & Installation, Durable steel casing	11490	0	28300	0	8700	0	0	275000	0

159	Projector Screen: 70-inch Diagonal, 16:9 Aspect Ratio. Leg Size. Silver Aluminum Frame. Screen Material: CineWhite, 1.1 Gain, 4K Ultra HD and Active 3D Projection Ready. Features 160 degree viewing angle with fully black backed front projection screen material. Mildew resistant, and easy to clean with soap and water. Compatible with Standard, Short Throw, UHD/HD projectors. Assembles in minutes without the use of tools! Lightweight aluminum square tube construction easily transports with included padded carrying bag. Screen is mildly weather resistant, but should not be left exposed to	7890	0	0	0	395	0	0	200000	0
160	HDMI Cables:3m	489	0	0	900	0	0	0	750	375
161	HDMI Cables: 5m	998	0	0	1700	0	0	0	1050	550
162	HDMI Cables:10m	1890	0	1900	2700	0	0	0	1550	1050
163	HDMI Cables:20 m	4890	0	2600	3800	0	0	0	2500	2150
164	audio functionality	1249	0	1000	0	0	0	0	1050	650
165	VGA Cables: 3m	389	0	0	800	0	0	0	750	375
166	VGA Cables:5m	998	0	0	1500	0	0	0	1050	550
167	VGA Cables:10m	1890	0	1600	2500	0	0	0	1550	1050
168	VGA Cables:20 m	3890	0	2500	3700	0	0	0	2500	2350
169	VGA and HDMI ports with input& output audio and charger (8 VGA ports with HDMI slot)	24390	0	0	0	0	0	0	0	6550

- 1 B.D commercial got against the sl.no.17,20,26,28,2934,37,3839,40,41,4652,76,7980,83,84,8593,103104109113,114,118,119,123,133,137138,139,141,142,143,144,148,149,152
- 2 GYELYONG ENTERPRISE got against the sl. No.1,25,27,49,51,59,89,92,100,101 and 112
- 3 HIMALAYAN INFO TECH got againts the sl. No. 2,3,5,7,77,111,122 and156